

**CERTIFICATE OF COMPLIANCE
OF PRODUCTION CONTROL ON-SITE**

CE N° 0380 - CPR - 187

In the framework of the EU Regulation N° 305/2011 set forth by the European Parliament and the Council on 09 March, 2011, which harmonised the conditions to commercialise construction products and repealed Directive 89/106/CEE of the Council, it was established that for the following product:

P2 particle panels fireproof M1, raw or melamine surfaced

Thickness: 12 to 40 mm

Density: 660 to 710 (+/-50) kg/m³

Classification: B-s1(*),d0 according to EN 13501-1

(*) s3 for Panels P2 thickness below 10 mm.

(European classification report n° FCBA 19/RC-67),

(Terms of use of the product: see attached annex)

Head office and manufacturing site:

KRONOSPAN AUXERRE

Bois de la Duchesse

RN 77 - BP 377

89006 AUXERRE

FCBA, as the notified body N° 0380, determined the typical product on the basis of typical tests (including sampling), calculations concerning the type, values from tables or documentation describing the product; carried out the initial inspection of the fabrication facility and tested production on site, as well as carrying out surveillance, assessment and continuous approval of the on-site production (system 1).

The present certificate attests that all provisions concerning the conformity attestation of the on-site production set forth in the harmonised technical specification of reference **NF EN 13986: 2004 + A1 : 2015** have been applied.

This certificate was issued for the first time on **24/10/2013**, and except for withdrawal or suspension, shall remain valid as long as the conditions described in the harmonised technical specifications, production conditions on the site and production testing in the facility shall continue to conform.

The list of valid certificates of conformity can be accessed on the www.fcba.fr site.

(In case of litigation, only the French version of the present certificate is the authentic text).

Siège social

10, rue Galilée
77420 Champs-sur-Marne
Tél +33 (0)1 72 84 97 84
www.fcba.fr

Siret 775 680 903 00132
APE 7219Z
Code TVA CEE : FR 14 775 680 903

For FCBA,
Certification Director
Alain HOCQUET

Issued in **CHAMPS-SUR-MARNE**, /15/01/2020
N° 187/2014-GB/6

Cancel and replaces Cancel and replaces n° 187/2014-GB/5

ANNEX

CE Performance constancy Certificate
N° 187/2014-GB/6 dated /15/01/2020

JEST WYDAWANY

CLASSIFICATION IS VALID IN TERMS OF USE FOLLOWING PRODUCT
Z FAKTURĄ ZAKUPU

« P2 particle panels fireproof M1, raw or melamine surfaced »:

Mounting with mechanical fixation (nails, screws, etc...) on D-s2,d0 wood structure or better,

On a class A2-s1,d0 substrate or better with minimal density of 525 kg/m³ and minimal thickness of 12 mm (standard plaster board type),

The mounting is without air gap or with closed or open air gap of any thickness.